

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/546,494	04/10/2000	Ulf Ahlfors	6563/54132 (3964-11)	3411	
27498	7590 08/10/2005		EXAM	EXAMINER	
· -	Y WINTHROP SHAW	NG, CHRI	NG, CHRISTINE Y		
P.O. BOX 10500 MCLEAN, VA 22102			ART UNIT	PAPER NUMBER	
,			2663		
		DATE MAILED: 08/10/2005			

Please find below and/or attached an Office communication concerning this application or proceeding.

		U*			
•	Application No.	Applicant(s)			
	09/546,494	AHLFORS ET AL.			
Office Action Summary	Examiner	Art Unit			
	Christine Ng	2663			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	16(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status	·				
1) Responsive to communication(s) filed on 22 De	ecember 2004.				
2a) ☐ This action is FINAL . 2b) ☑ This					
,	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims		1			
4) ⊠ Claim(s) 1-25 and 28-52 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-4,7,11,18,21,28-31,34,38,45 and 48 is/are rejected. 7) ⊠ Claim(s) 5,6,8-10,12-17,19,20,22-25,32,33,35-37,39-44,46,47 and 49-52 is/are objected to. 8) □ Claim(s) are subject to restriction and/or election requirement.					
Application Papers					
9) The specification is objected to by the Examiner.					
10) The drawing(s) filed on 10 April 2000 is/are: a)	igtimes accepted or b) $igsqcup$ objected to $igctime$	by the Examiner.			
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some color None of: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s)		·			
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date					
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date J.S. Patent and Trademark Office		Patent Application (PTO-152)			
J.S. Patent and Trademark Unice					

Art Unit: 2663

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims 1-4, 7, 11, 18, 21, 28-31, 34, 38, 45 and 48 have been considered but are most in view of the new ground(s) of rejection.

Claim Objections

2. Claim 1 is objected to because of the following informalities:

In line 6, --accepted or rejected-- should be inserted before "before said stream enters any queue of said switch".

Appropriate correction is required.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. Claims 1, 2, 3, 28, 29 and 30 are rejected under 35 U.S.C. 102(e) as being as being unpatentable over U.S. Patent No. 6,549,938 to Kilkki et al.

Referring to claims 1 and 28, Kilkki et al disclose in a method for bandwidth scheduling in a switch (Figure 8) comprising a switching fabric (Figure 8, router 114) and a bandwidth scheduler (Figure 9; cell filter 164 and processor PLa logic 180) located before any queue (Figure 9; real-time rt buffer 166 and non-real-time nrt buffer

Art Unit: 2663

168) of the switch. Refer to Column 7, lines 57-61; Column 12, lines 32-43; and Column 13, line 39 to Column 14, line 35. The method comprises:

Receiving a stream of data from the switching fabric. In a typical SIMA network, "all inputs, labeled input-1, input-2 through input-M are coupled directly to the router 114 to be routed to their corresponding scheduling and buffering unit, labeled SBU-1 116, SBU-2 118 through SBU-N 120". Refer to Column 12, lines 32-43.

Subjecting the stream to a decision making algorithm in the bandwidth scheduler resulting in that the stream is accepted or rejected before it enters any queue of the switch. In Figure 9, in order to determine which cell 154 is accepted or rejected, processor PLa logic 180 determines the number of cells currently occupying the rt buffer 166 and nrt buffer 168 and calculates an allowable priority level PLa. Cell filter 164 then compares the priority level PL 156 of each incoming cell 154 with PLa. The cell is discarded if PL>PLa, else, it is accepted and placed into a rt buffer 166 or nrt buffer 168. Column 13, line 39 to Column 14, line 35. Furthermore, a switch always handles a stream of data packets since a source always sends a flow of data packets, not just a single data packet, to a destination.

Referring to claims 2 and 29, Kilkki et al disclose in Figure 9 that the stream of data includes identifiable data packets (cells 154). The method includes subjecting each cell to a decision making algorithm in the bandwidth scheduler (Figure 9; cell filter 164 and processor PL_a logic 180) resulting in that the data packet is accepted or rejected. In order to determine which data packet is accepted or rejected, processor PL_a logic 180 determines the number of cells currently occupying the rt buffer 166 and

Art Unit: 2663

nrt buffer 168 and calculates an allowable priority level, PL_a. Cell filter 164 then compares the priority level PL 156 of each incoming cell 154 with PL_a. The cell is discarded if PL>PL_a; else, it is accepted and placed into a rt buffer 166 or nrt buffer 168. Column 13, line 39 to Column 14, line 35.

Referring to claims 3 and 30, Kilkki et al disclose that each data packet contains information about its flow identity, namely port, identified by port number, and traffic class. "The source of the packet can be identified by its source IP (internet protocol) address or port in the header of an IP packet, for example" (Column 16, lines 8-10). In Figure 9, each packet 154 also has a real-time/non-real-time (rt/nrt) indicator 158, representing its traffic class. Refer to Column 8, lines 4-27 and Column 13, lines 58-60.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 4, 18, 31, and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,549,938 to Kilkki et al in view of U.S. Patent No. 6,628,609 to Chapman et al.

Referring to claims 4 and 31, Kilkki et al do not include that a limit is set on the maximum accepted bandwidth per port.

Chapman et al disclose in Figure 4 that each port is assigned a maximum bandwidth. Certain traffic classes, after using up its reserved bandwidth, are able to

Art Unit: 2663

compete with other permitted classes for any available bandwidth from the port if they have more traffic to send. Refer to Column 9, lines 37-42. In the case that separate traffic classes are competing for spare bandwidth, each class will be limited by the maximum allocated bandwidth settings of each port, thus allowing fair share of bandwidth among ports of a switch. Refer to Column 13, lines 4-20. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to assign a maximum accepted bandwidth per port; the motivation being to allow fair share of bandwidth among ports of a switch, thereby preventing a particularly active traffic flow traveling through a port to utilize all the available bandwidth.

Referring to claims 18 and 45, Kilkki et al do not include that if one traffic class is particularly active, it is forced to give up part of its accepted bandwidth.

Chapman et al disclose a related example of a control mechanism. A traffic class (C2) is utilizing 4 Mb/s of bandwidth, which is over its associated port's (Port A) minimum allocated bandwidth of 1 Mb/s, to transmit upstream data to Port A. Another node needs to transmit downstream data to Port A, so C2 is forced to restrict its data rate to Port A's minimum allocated bandwidth. Refer to Column 22, lines 3-26. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include that if a traffic class becomes particularly active, it must be forced to give up some of its accepted bandwidth; the motivation being that this prevents active traffic flows from utilizing all the available bandwidth, thereby allowing less active traffic flows to achieve their guaranteed minimum bandwidth.

Art Unit: 2663

7. Claims 7 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,549,938 to Kilkki et al in view of U.S. Patent No. 6,628,609 to Chapman et al, and in further view of U.S. Patent No. 6,292,465 to Vaid et al.

Kilkki et al do not include that there is a maximum accepted bandwidth per traffic class.

Vaid et al disclose that one of the traffic policies includes granting classes "a limit on the total bandwidth used by the class" (Column 13, lines 45-46). When traffic classes are competing for available bandwidth after they have used up all of their reserved bandwidth, a maximum allocated bandwidth prevents a particularly aggressive traffic flow from utilizing too much of the spare bandwidth. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include a maximum accepted bandwidth per traffic class; the motivation being that this allows fair share of spare bandwidth, thereby preventing aggressive traffic flows from utilizing too much of the available bandwidth. This also helps to control traffic behavior since higher priority traffic classes can be assigned a higher maximum bandwidth allocation.

8. Claims 11 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,549,938 to Kilkki et al in view of U.S. Patent No. 6,292,465 to Vaid et al.

Kilkki et al do not include that each traffic class is guaranteed a bandwidth up to a limit.

Vaid et al disclose that one of the traffic policies includes "granting classes a minimum bandwidth in the presence of congestion or competition" (Column 13, lines 41-43). In case of congestion, each traffic class is guaranteed a reserved amount of bandwidth. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to guarantee each traffic class a bandwidth up to a limit; the motivation being that this guarantees each traffic class a certain amount of bandwidth even in times of congestion, thereby preventing aggressive traffic flows from utilizing all of the available bandwidth. This also helps to control traffic behavior because high priority or critical traffic flows can be guaranteed a minimum bandwidth allocation in case of congestion.

9. Claims 21 and 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over U U.S. Patent No. 6,549,938 to Kilkki et al in view of U.S. Publication No. 2002/0097736 to Cohen.

Kilkki et al do not disclose that flows are grouped together by means of a hash function into a set of flow groups.

Cohen discloses in Figure 1 that flows to a processor (Element 50) are grouped together by means of a hash function into a set of flow groups. The use of the hash function allows the system to "distribute the flows, making sure that packets within the same flow are sent to the same processor so that the original packet order in each flow is maintained" and that different flows are sent to different processors (Element 50). Refer to Paragraph 0013. The hash function is used because "it distributes packets evenly among the processors in response to flow information such as the

Art Unit: 2663

source/destination address, source/destination port and the protocol" (Paragraph 0042). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include that flows are grouped together by means of a hash function into a set of flow groups; the motivation being that the hash function allows for flows of a common source and destination to be grouped together and distributed evenly among its destination points in response the flow information.

Allowable Subject Matter

10. Claims 5, 6, 8-10, 12-17, 19, 20, 22-25, 32, 33, 35-37, 39-44, 46, 47 and 49-52 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christine Ng whose telephone number is (571) 272-3124. The examiner can normally be reached on M-F; 8:00 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky Ngo can be reached on (571) 272-3139. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2663

Page 9

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

C. Ng CV July 28, 2005

> RICKY NGO PRIMARY EXAMINER